

## POZ. 10.2 SCHODY ŻELBETOWE



ILLOŠĆ: 1 SZT.

# ZESTAWIENIE STALI ZBROJENIOWEJ

POZ.	NR PRĘTA	ø [mm]	DLUGOŚĆ [m]	ILOŚĆ		DŁ. ŁĄCZNA [m]			
				PRĘTÓW	x POZ.	RAZEM	ø6	ø8	ø12
Poz. 10.2 – Schody – 1 szt.									
10.2	11	8	1,400	130	1	130			182,00
Poz. 10.2.1 – Bieg I – 1 szt.									
10.2.1	1	12	3,360	11	1	11			36,96
	2	8	1,660	11	1	11			18,26
	3	12	2,650	11	1	11			29,15
	4	8	3,300	11	1	11			36,30
	17	8	0,810	11	1	11			8,91
Poz. 10.2.2 – BELKA – 2 szt.									
10.2.2	14	16	3,490	4	2	8			27,92
	15	12	4,030	3	2	6			24,18
	16	6	1,140	22	2	44	50,16		
Poz. 10.2.3 – Bieg II / IV – 2 szt.									
10.2.3	4	8	3,300	11	2	22		72,60	
	5	12	1,990	11	2	22		43,78	
	6	12	1,440	11	2	22		31,68	
	7	12	3,490	11	2	22		76,78	
	8	8	1,310	11	2	22		28,82	
	12	12	3,480	22	2	44		153,12	
	13	8	3,480	14	2	28		97,44	
	17	8	0,810	11	2	22		17,82	
Poz. 10.2.4 – Bieg III – 1 szt.									
10.2.4	3	12	2,650	11	1	11		29,15	
	4	8	2,540	11	1	11		27,94	
	9	12	3,460	11	1	11		38,06	
	10	8	1,230	11	1	11		13,53	
	17	8	0,810	11	1	11		8,91	
DLUGOŚĆ RAZEM [m]									
MASA JEDNOSTKOWA [kg/m]									
MASA [kg]				50,16 512,53 462,86 27,92					
				0,222 0,395 0,888 1,578					
				11,14 202,45 411,02 44,06					
MASA CAŁKOWITA [kg]				663,66					

**UWAGA!**

— W przypadku wystąpienia jakichkolwiek nieścisłości lub wątpliwości należy skontaktować się z projektantem



### POZ.10.2.2 BELKA SPOCZNIKOWA

SZT. 2

